



Profile Pre-Qualification



Bright Sign Media

Message	3
About Us	4
Organization Chart	5
3D Letters	6
Internal Signs	8
Prints & Graphics	10
Led Display Panel	12
Hoarding - Unipole	14
Exhibition And Events	16
Promotion Items	18
CNC Cutting Designs	20
Digital Marketing	22
Major Clients	24
Projects:	
Construction Signboard	29
Tower Crane Signboard	46
Fence Branding	54
Internal Signages	62
Residential Signages	68
Hotel	76
Education	79
Healthcare	80
Restaurants	94
Government	105
Exhibition - Trade Center	108
Hoarding - City Centre	112
EXPO	122
Material Technical Data Sheet	128
Contact Us	140



*„A good idea every day
for our customers' success“*

Dear customers and prospective customers,

This brochure is dominated by inspiration. We warmly invite you to discover a wide variety of solutions that can be tailored to your needs.

Thanks to multiple, clearly arranged categories, you will find ideas and suggestions for labelling your products. After all, we want to make sure that your flashes of inspiration have maximum impact.

All of Bright products have one purpose: to serve people. They allow people to «make a mark» that fills them with pride. A brand emblem, for example, embodies all of the values that have been factored into a product's manufacture. Workflows become more transparent and quicker thanks to precise labelling.

Functional parts provide protection and retain value. In other places, technical labelling warn against incorrect handling and provide instruction on how to use technical equipment correctly.

The possibilities for use are as varied as your creativity. So give your ideas for marketing and technology free rein! We look forward to turning your ideas into reality in our role as your consultant and partner.

P.S. Take a look at our website too – we're constantly unveiling new ideas:

www.brightsignmedia.com

Yours respectfully

Message

Brief History

Bright sign media Designs was started a decade ago in Dubai by a visionary with in-depth knowledge and immense industry experience. Our facility is well-equipped to offer complete signage solutions such as 3D Letters, LED Screens, Flex Light boxes, Fascia's, Flags and much more to the utmost satisfaction of our customers.

Our Strong

Our strong focus on innovative design, quality, on-time delivery and customer satisfaction has enabled us emerge as a dependable signage company in UAE. In addition to this, our experience in handling prestigious projects on a turn-key basis, collaborating with international designers, architects and consultants has enabled us set new standards of quality and service within the signage industry.

Health Preservation & Safety

Ensuring health and safety in factories is paramount for safeguarding the well-being of workers and maintaining efficient operations. Strict adherence to safety protocols, regular equipment maintenance, and provision of personal protective equipment are fundamental practices. Additionally, comprehensive employee training on hazard identification and safety procedures is crucial. Ergonomic design of workspaces and tools reduces the risk of workplace injuries, while promoting mental health initiatives contributes to overall well-being. Prioritizing health and safety not only protects workers from harm but also fosters a productive and positive work environment.

Our Services

Signages
Steel Fabrication
Print & Graphic

Exhibition And Events
Led Display Panel
Custom Fabrication

Organization Chart



Manufacturers of Car Parking Shades

Tent Shed, which operates from a modern industrial factory unit in Dubai, Ajman, and Abu Dhabi, offers the most modern car parking shade designs in the UAE. Tent Shed uses the latest technology and extremely advanced machineries for the design, manufacture, and erection of fabric shades and structures. We specialize in producing a variety of Fabric Shade Structures like car parking shade to meet a variety of requirements. We are committed to adapting and combining modern technology, experience, and know-how with eastern art and taste to produce ever-improving products.






BSM

Bright Sign Media

A place where ideas grow

**Swim-
ming
SHADE**





Bright Sign Media

A place where ideas grow

Type Of
3D
LETTERS

3D LETTERS

The world of signs isn't flat anymore. Any shape or letter can be formed into a three-dimensional object, making it possible to present your business with signs that literally stand out from the rest as three-dimensional works of art.



3D Channelium

3D channelium signage is known for its durability and cost effective nature. Available in various colour and these letters are usually finished with acrylic facia at the front for light passing effect.

3D Stainless

Stainless Steel letters spread a classy and dignified effect feel in its surrounding. Stainless Steel signs are widely preferred by Corporate and Government organizations. SS letters are rust free and are greatly durable. They can be further plated to get gold and brass finish.

3D Aluminium

Aluminium signage are less weight and heavily durable. These properties facilitate them to be highly recommended for any higher and wider signage requirement, Resulting in a aluminium powder coated signage.

3D Acrylic

3D Acrylic signs are widely used in corporate and retail sectors to display their branding in an elegant manner. Acrylic is available in transparent, translucent and opaque forms, giving various options to creatively showcase Clients requirement.



Bright Sign Media

A place where ideas grow

305

Internal
Signs

207

3


319

OFFICE

BRIGHT SIGN MEDIA

Internal Signs

Materials we are working with



Stainless steel



Wood



Acrylic

Methods of personalization



UV printing



3D text



Engraved & Etched

The combination of these materials and equipment makes it possible to create unique designs, which are developed by our team.



Bright Sign Media

A place where ideas grow



Prints
&
Graphics

Prints & Graphics

Print & Graphic: We can print graphics on a variety of materials, including vinyl, canvas, and paper. Our digital printing technology allows us to create high-quality prints that can be used for a variety of purposes, such as wall murals, window graphics, and product labels.



Digital printing includes:

- Roll-ups, Pop-ups with different sizes
- Promotional stands
- Posters
- Buntings
- Danglers
- Tent cards
- Duratrans printing
- Banners

- Flex bring
- Displays covering
- Event branding
- Stage Back drop printing
- Compound wall branding
- Shell scheme exhibition branding
- cut-out stands.
- Wall brandings



Bright Sign Media

A place where ideas grow

**LED
Display
Panel**



LED Display Panel

Efficient, reliable and long-lasting video walls

An advertisement is all about creating a remarkable experience for the customer and translating that experience into revenue. No medium is better for that than a LED digital signage platform. Configurable to fit almost any size, shape and curve your business space requires – our LED displays deliver seamless images that captivate and convert browsers into buyers.

BSM offers a range of comprehensive services in the LED industry, catering to various needs and industries. Some of their key services include:

- Retail Indoor LED
- LED for School
- LED Screen for Meeting Room
- Flexible LED
- Entrance Frame LED screen
- Digital Signage for Information
- Shop Signage LED
- Outdoor LED screen for Billboard
- LED Screen for Corporate Office
- Digital Signage for Food Menu

- LED Screen for Control Room
- LED Digital Poster
- 3D LED Stand
- Floor LED
- Digital Kiosk
- Outdoor Mesh LED
- Outdoor Net LED
- Ceiling LED
- Creative Retail LED screen
- Transparent LED for Retail





Bright Sign Media

A place where ideas grow

Hoarding Unipole



Hoarding - Unipole

Outdoor Hoarding & Hoardings Advertising are a dominating presence that cannot be turned off, ignored or thrown away unopened. Billboards remain the true 24/7 form of advertising. Today's savvy advertisers and marketers understand the value of outdoor billboard advertising; that's why this advertising format has enjoyed increasing demand. Located on key highways, intersections and main points to all major cities, spectacular billboards are an advertising mainstay. Choose a permanent unipole billboard for directional or point-of-purchase purposes or for brand awareness.



Totem - Pylon

The pylon sign is designed to be distinctive and used for your business logos or key information as it will be visible for quite some distance and therefore is perfectly placed by a busy road. If you have several different businesses nearby, often each business pitches in for a pylon sign as there are various compartments for different advertising.





Bright Sign Media

A place where ideas grow

Exhibition
And
Events



Exhibition

We offer comprehensive packages that include conceptualization, strategic plan and design, production, and execution of all types of exhibitions and promotional stands that make you stand out among the rests.

Whatever the business sector, we provide our clients with creative, efficient, sustainable, and powerful solutions... on time and on budget.



Events & Organizing

We are privileged and honored to introduce our company to you. Key Media Conferences & Exhibitions Organization LLC was established in 2005. Key Media is based in Dubai and we have the necessary facilities and capabilities to serve the region and act as a one-stop-solution to all current and potential/future clients and partners.





Bright Sign Media

A place where ideas grow

Promotion Stands Roll Up



2020
BUSINESS
CENTER

CONFERENCE
SALES
PROJECT
FINANCIAL

WELCOME TO THE BUSINESS
CENTER CONFERENCE

DUBAI BUSINESS CENTRE
LEVEL B1, THE GATE,
P.O. BOX 762043,
DUBAI UAE

T: +971 4 000 0000
E: INFO@PHOENIX.COM

WWW.PHOENIX.COM



Promotion Stands/ Roll Up

BSM can print Roll-Up Display Stands. BSM uses high quality printing and durable stand to support the banner. Ideal communication vehicle at places like exhibition stalls, show rooms and point of sale stations, BSM produced roll up stands are well known for their durability and ease of use. Roll up display stand, also known as a retractable banner stand, is ready to setup almost immediately.



- **Pop Up Exhibition Counter:**

- Laminated counter top, shelves and frame
 - Full colour graphic panel
 - Includes portable carry bag

- **Roll Up Stand**

- Highest quality roller banner stand
 - Full colour graphic with protective satin laminate
 - Includes carry bag (except 2.4m)





Bright Sign Media

A place where ideas grow

Cnc
Projects



CNC Cutting Designs

We offers CNC routing/cutting on all flat sheet material such as acrylic, wood, MDF, aluminum, di-bond, etc. , to customers throughout the UAE.”



About Our CNC Work Division

- Mashrabiya Cutting
- 2D & 3D Logo Cutting
- Architectural Designs
- Door & Cabinets
- Engraving (2D & 3D)
- Gift Items





Bright Sign Media

A place where ideas grow

**Digital
Marketing**





Bright Sign Media

A place where ideas grow

Major Clients




Major Clients

It is our privilege to work for these prestigious companies and keeping a very warm and long term business relation. We are always keen on maintaining a healthy relationship with our clients, The following list either works with them directly & through subcontractors.

 Design & Architecture Bureau DAR	 ESTABLISHED 1977	 المرحوم الكبير RSRK						 الفطيم Al-Futtaim	
		 ARCHITECTURAL ENGINEERING CONSULTANTS		 Godwin Austen Johnson Architects					
				 هيئة الصحة بدبي DUBAI HEALTH AUTHORITY				 الهيئة العامة للطرق والنقل والمراسل RTA	
	 مسئير بيكر Miller Baker	 جامعة عجمان AJMAN UNIVERSITY		 حكومة الشارقة Government of Sharjah				 قصر الأموي Qasr Al Awami	
 كلية المدينة الجامعة بجمان CITY UNIVERSITY COLLEGE OF AJMAN		 ساليورا Sallora					 هيئة الشارقة للكتاب Sharjah Book Authority		
								 حكومة دبي GOVERNMENT OF DUBAI	
	 العيادة الحديثة modern clinic	 مركز صيدلية المدينة CITY PHARMACY		 مناطق الحرة Jebel Ali Free Zone					
	 فيينا VIENNA	 مهروسة للحويات مسعم و طويان MS	 سيتي سيزنل CITY SEASONS	 المداين ALMADAEN	 سالم الذكي Smart Salem		 كارس AG		
	 لابيل LaBelle	 دبي الصحة DUBAI HEALTH	 مؤسسة الجليلة Al Jalila Foundation	 عارف و بين طوق Arif & Bintoaq					

**Our
Expertise,
Your
Identity**






Bright Sign Media

A place where ideas grow

Projects



Construction Signboard



Construction Signboard





ديار DEYAAR




DEYAAR BAY REAL ESTATE DEVELOPMENT LLC
TRIA

TRIA

PROJECT INFO.	PERMIT NO.	PLOT NO.
1B + G + 3P + 28 + ROOF FLOORS	DSO/BP/P25-085/246/23	25-085

<p>CONSULTANT</p>  <p>المكتب الوطني للتقانة National Engineering Bureau</p>	<p>MAIN CONTRACTOR</p>  <p>نارسكو للتقانة والبناء NARESCO CONTRACTING LLC 11014830 0502021</p>
<p>QUANTITY SURVEYOR</p>  <p>مهندسة ناصية و عازم وشركاه NABBY E AZZAM & PARTNERS</p>	<p>SUB CONTRACTOR</p>
<p>SUB CONTRACTOR</p>	<p>SUB CONTRACTOR</p>



Construction Signboard

SHOP DRAWING SUBMITTAL

Project: [Project Name] Job No: [Job No.]
 Client: [Client Name] Draw No: [Draw No.]
 Designer: [Designer Name] Date: [Date]


Item No.	Item Description	Quantity	Unit	Remarks
1	STRUCTURAL SHOP DRAWING	1	SET	
2	Mechanical Shop Drawing	1	SET	

Submitted By: [Signature] Date: 02-08-2023
 Approved By: [Signature] Date: 01-08-2023

Refer to the comments on the attached drawing
 - subject to compliance with Approved DDA drawing
 - subject to local Authorities' approval



Construction Signboard



Construction Signboard




OXYGEN GYM BUILDING (THE MUSCLE FACTORY)
 On Plot No. 381285L, Al Khawaneej, Dubai, UAE (DRC75)

SUBCONTRACT

FOR SIGN BOARD WORKS

BETWEEN: M/L NARESCO CONTRACTING (CONTRACTOR)
 AND: M/L BRIGHT SIGN MEDIA (SUB-CONTRACTOR)










Client: **O₂XYGEN**
 THE MUSCLE FACTORY

Plot No: 1127145 **Building Permit Ref No:** 335334-2-3

CONSULTANT:  Design & Architecture Bureau | DAR

CONSULTING ENGINEER: 

MAIN CONTRACTOR: 

SUB CONTRACTOR:

Construction Signboard



PERSPECTIVE:

BUILDING PERMIT NO.: 331289-2-2
بلدية دبي (Dubai Municipality)

PLOT NO.: 3621137
BUILDING TYPE: RESIDENTIAL VILLA, 1B+G+1+1R

CONSULTANT:
المكتب الوطني للهندسة (National Engineering Bureau)
 National Engineering Bureau
 Architectural & Engineering Consultancy

DESIGN:
 شركة إنجنيرينج والهندسة المعمارية
 (Engineering and Architectural Firm)


MAIN CONTRACTOR:
نارسكو (نارسكو للهندسة والبناء) (Naresco Contracting LLC)
 NARESCO CONTRACTING (LLC)

SUB CONTRACTOR: **SUB CONTRACTOR:** **SUB CONTRACTOR:**

Construction Signboard



Advertising Solutions Tailored for Success



Construction Signboard



Construction Signboard



Building Structure:
2B+G+13F+R

Building Type:
Hotel Building

SUBCONTRACT



Building Structure:
B+G+P+10F+R

Building Type:
Residential Building

SUBCONTRACT



Building Structure:
2B+G+6F+R

Building Type:
Residential Commercial Building


SUBCONTRACT



Building Structure:
2B+G+M+3F

Building Type:
Commercial Building


SUBCONTRACT



Building Structure:
G+1 Mosque

Building Type:
Mosque

SUBCONTRACT



Building Structure:
4B+G+16F+R

Building Type:
High-rise Building | Residential

SUBCONTRACT



Building Structure:
B+G+2F

Building Type:
Commercial Building

SUBCONTRACT











Building Structure:
B+G+8F+R

Building Type:
Residential Building

SUBCONTRACT



Construction Signboard

 <p>Building Structure: B+G+3F+R</p> <p>Building Type: Residential Commercial Building</p> 	 <p>Building Structure: 2B+G+6F</p> <p>Building Type: Residential Commercial Building</p> 	 <p>Building Structure: B+G+8F GLITZ RESIDENCE</p> <p>Building Type: Residential Commercial Building</p> 	 <p>Building Structure: B+G+8F+R GLITZ RESIDENCE</p> <p>Building Type: Residential Commercial Building</p> 
 <p>Building Structure: 8+G+8F+R GLITZ RESIDENCE</p> <p>Building Type: Residential Commercial Building</p> 	 <p>Building Structure: B+G+3+R (2-Star Hotel)</p> <p>Building Type: Hotel Building</p> 	 <p>Building Structure: B+G+1F+R</p> <p>Building Type: Commercial Building</p> 	 <p>Building Structure: G+4P+17F+R Hotel</p> <p>Building Type: Hotel Building</p> 

Construction Signboard



Building Structure:
B+G+13F

Building Type:
Residential Building



Building Structure:
G+5P+25F+HELIPAD

Building Type:
Residential Building



Building Structure:
G+5P+25F+HELIPAD

Building Type:
Residential Building



Building Structure:
2B+G+5F

Building Type:
Residential Commercial



Building Structure:
B+G+M+10F+HC

Building Type:
High-rise Building | Residential



Building Structure:
B+G+7F Hotel Apartment

Building Type:
Hotel Building | Residential Building



Building Structure:
B+G+M+3F

Building Type:
Residential Commercial



Building Structure:
B + G + 1P + 7F

Building Type:
Residential Commercial



Construction Signboard



Building Structure:
2B+G+14F

Building Type:
Residential Building



Building Structure:
2B+G+12+Gym

Building Type:
Government Building



Building Structure:
G+8F

Building Type:
Residential Commercial B



Building Structure:
2B+G+6F

Building Type:
Residential Commercial Bu



Building Structure:
2B+G+M+70F+3Mech+HC+

Building Type:
High-rise Building | Hotel Bu



Building Structure:
B+G+11F+R

Building Type:
High-rise Building | Reside



Building Structure:
B+G+13F

Building Type:
Residential Commercial



Building Structure:
B+G+10F

Building Type:
High-rise Building | R



Tower Crane Signboard



Tower Crane Signboard



Tower Crane Signboard



Al Serh Al Kabeer CONSTRUCTION S.L.L.C **الصرح الكبير**

Purchase Order-Materials

PO No: P20 000408 Date: 14/03/23

Company: BRIGHT SIGN MEDIA MR. No: 107

Address: P.O. Box: MR. (119 981 MUNIR, G-10/F-10-03 RESIDENTIAL, T) JIB: (119 981 MUNIR, G-10/F-10-03 RESIDENTIAL, T)

Site: (119 981 MUNIR, G-10/F-10-03 RESIDENTIAL, T) Site: (119 981 MUNIR, G-10/F-10-03 RESIDENTIAL, T)

Rep. Code: SP1001 MR. Mubammad 90 248 8788 Delivery Date: 08/03/23

MR. : 100405010400003 Contact: RUDWAN OUDWAN 086 530210

Please check all with the following items & provide your invoice showing the LPO No. together with photos & sign of the LPO.

Item Code	Description	Quantity	Unit	Rate	Amount
1	SUPPLY & INSTALLATION OF 2D SIGNAGE "ASAK" ILLUMINATING 3D LETTERS FOR TOWER CRANE. MADE WITH 5MM STEEL TUBE FRAME COVERED WITH 2MM THICK ACRYLIC SHEET WITH LED TUBE (HEIGHTS) OF 800mm ILLUMINATING LETTER SIZE: A, S & A-110" (800A-800M DEPTH) 4-112" (800A-800M DEPTH) "ASAK" 3D LETTER SIGN BOARD SET FOR TOWER CRANE INSTALLATION ON TOWER CRANE- ASAK SCOPE NOTE: ALL THE DESIGN & MATERIAL TO BE APPROVED BY MR. RUDWAN OUDWAN 086 530210	2.00	LS		

Signature: *[Handwritten Signature]*

Stamp: **AL SERH AL KABEER CONSTRUCTION S.L.L.C**

TERMS & CONDITIONS: We warrant Eight Yearly Security Only

Jump System

نارسكو
شركة المقاولات والمهندسين
NARSCO CONTRACTING & L.L.C.

COMMERCIAL & RESIDENTIAL DEVELOPMENT – SKYZ BY DANUBE
DUBAI, U.A.E.

667 961 4633

SUBCONTRACT

FOR SIGN BOARD ON JUMPING SYSTEM FORMWORK


CLIENT: M/S. NARSCO CONTRACTING LLC (CONTRACTOR)
M/S. BRIGHT SIGN MEDIA (SUB-CONTRACTOR)

نارسكو
NARSCO CONTRACTING & L.L.C.
P.O. Box 87166, Dubai, UAE

Bright Sign Media
BSM

www.brightsignmedia.com

Jump System



DANUBE PROPERTIES DEVELOPMENT L.L.C

PURCHASE ORDER

Supplier Name : BRIGHT SIGN MEDIA	Doc. Date : 13-Nov-2023
Supplier : warehouse#1, 12	PO.No. : DPD-108508
Address : United Arab Emirates	Order No. : N/A
Contact Name :	Project : SKYZ
Phone No. :	Currency : AED
Email :	TRN : 10021266370003
Supplier TRN :	Quotation :
PO Revision : 0	Delivery Date : 17-Nov-2023

We hereby place our order with the following Scope of Work:

Sr No.	Description	QTY	UGM	Rate	Total Price (AED)
1	Light box with "DANUBE" text to be installed on Jump system Bracket of Corwell underconstruction. MS Square tube Frame, Painted GI Sheet, UV Protection Faced Digital printed, complete electrical wiring connections. Size - 2 x 10 meter (M x L).	2	EA		
Total:					
VAT 5%:					
Final Price (AED):					

Amount in Words - Twenty-One Thousand Only

Note:
 Payment terms - 50% advance against undated security cheque, 50% upon completion.
 Tax Invoice to be addressed to "DANUBE PROPERTIES DEVELOPMENT LLC"
 Tax Invoice to be addressed to P.O BOX No. 113806, Project Name, TRN No. & submitted in mentioning our Address, P.O BOX No. 113806, Project Name, TRN No. & submitted in Office along with SOA & Work Completion Certificate signed by our Project Engineer/ Head

Delivery Term :

Prepared By Hassan Anwar	Approved By Vishvas Nangarajan
-----------------------------	-----------------------------------

Page 1 of 2

DANUBE PROPERTIES HEAD OFFICE, SHEIKH ZAYED ROAD, HQ BOP, 113806, DUBAI, UAE
 ☎ +971 4 399 521 ☎ +971 4 399 521 📧 info@dubaiproperties.com 🌐 www.dubaiproperties.com

Tower Crane Signboard



Tower Crane Signboard

Alef



Fence Branding



Fence Branding

نارسكو
لخدمات المقاولات في سوريا
NARSCO CONTRACTING LLC

COMMERCIAL & RESIDENTIAL DEVELOPMENT – SKYZ BY DANUBE
Dh-47152225 Al-Bayraha South Party, Dubai, UAE (2018)

147 140 145 1 2000 0000

SUBCONTRACT

FOR SIGN BOARD ON JUMPING SYSTEM FORMWORK

BETWEEN: M/S. NARSCO CONTRACTING LLC (CONTRACTOR)
AND: M/S. BRIGHT SIGN MEDIA (SUB-CONTRACTOR)

نارسكو
NARSCO CONTRACTING LLC
P.O. Box: 8176, Dubai, UAE

بسم الله الرحمن الرحيم
نحن الموقعين أدناه، نعلن عن إبرام عقد
تحت إشراف وزارة الإسكان والمرافق والمباني
مؤتمرا بيننا وبين شركة بريس برايت سين ميديا
للخدمات الإعلامية والإعلانية، وذلك من أجل
توريد وتصنيع وتركيب لوحات إعلانية على
جدران سياجات مواقع البناء.

www.brightsignmedia.com

Fence Branding



Fence Branding




Fence Branding



Fence Branding



**Signage Solutions, Crafted
with Precision and Pride**




Internal Signages



Internal Signs







BUILDING SIGNS



BUILDING SIGNS



BUILDING SIGNS




BUILDING Name



Building Name

TOPAZ
AVENUE

Internal Sign



Hotel Sign

MD HOTEL فندق ام دي
بغداد بغداد



Internal Sign

Client: M/Y. Badli Real Estate Co.LLC

Contractor: **GBH INTERNATIONAL CONTRACTING LLC**

Project Name: **G+11 RESIDENTIAL BUILDING**

Doc No. / Proj. Name: 122/126-G+11 Residential Building on Plot No. 648581 & 648584, AT Wadi Al Safa 5, Dubai

Client: M/Y. Badli Real Estate Co.LLC

Consultant: **Artiplan Consulting Architects & Engineers**

Main Contractor: **GBH International Contracting**

Subcontractor: M/Y. Fawzan Sign LLC

Date: 22 Jun 21

TRADE: MECHANICAL ELECTRICAL PLUMBING PAINT OTHER (GENERAL)

S. No.	Contract No./Type/Ref.	Qty	QUANTITY	TYPE OF DOCUMENT
1	122/126-G+11 Residential Building on Plot No. 648581 & 648584, AT Wadi Al Safa 5, Dubai	3 No. Sample		For Information Only

Received by Consultant: **GBH INTERNATIONAL CONTRACTING LLC** (Stamp)

Date Submitted: 22 Jun 2021

Approved required by: 06 Jun 2021


Please submit the sample as discussed and in compliance with SAC as per drawings, and regulations.

BSM (Blue Seal)

GBH RECEIVED (Stamp: 07 JUL 2021)

For the Consultant: **Muhammad Badli** (Signature)

Received by GBH: **Muhammad Badli** (Signature)



External Sign



External Sign



24 HOUR
WALK IN CLINIC

DUBAI LONDON CLINIC
AND SPECIALITY HOSPITAL



مستشفى وعيادة دبي لندن
التخصصية

صيدلية
PHARMACY

Internal Sign

DUBAI LONDON CLINIC AND
SPECIALITY HOSPITAL (BR)



مستشفى و عيادة
لبي لندن التخصصي (برع)

WORKING HOURS
Sat, Sun, Tue, Wed
Friday & Day Off

DENTAL Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid	PAEDIATRICS Dr. Chahar Al-Sayid Dr. Chahar Al-Sayid	ORTHOPAEDICS Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid	UROLOGY Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid
ENT Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid	OBSTETRICS Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid	GENERAL SURGERY Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid	HEALTH PHYSICS Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid
GENERAL PRACTICE Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid	LABORATORY Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid	INTERNAL MEDICINE Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid	DIAGNOSTIC RADIOLOGY Dr. Ahmad Al-Sayid Dr. Ahmad Al-Sayid

Internal Sign



**DUBAI LONDON CLINIC AND
SPECIALITY HOSPITAL (BR)**

Internal Sign



عيادة دبي لندن
DUBAI LONDON CLINIC



عيادة دبي لندن فرع
خدمات الأسنان
DUBAI LONDON CLINIC Branch
Dental Services

Lightbox Sign



الصيدلية الحديثة
modern pharmacy

العناية بالأم و الطفل
MOTHER & BABY CARE

اكسسوارات الطفل
BABY ACCESSORIES

مستلزمات
NECESSARIES

وصفات طبية و استشارات
PRESCRIPTION & ADVICE

GROO

العناية
SUN CARE

واقعي شمس

FAMILY PLANNING

للتنظيم التناسلي

البرد و الحمى

SPECIAL OFFERS

عروض خاصة

PRODUCTS OF THE MONTH

Internal Sign

Modern pharmacy



الميدلية الحديثة

الميدلية الحديثة
modern pharmacy



Ask your Pharmacist
+971 501991651



www.modern-pharmacies.ae
Follow us on: @modernpharm

3D Sign

Internal Sign



الصيدلية الحديثة
modern pharmacy

14
9222

3D Signboard

MODERN CARE PHARMACY
LLC 01-22-01-23

الصيدلية الحديثة
modern pharmacy

تجارة مودرن كير فارمسي
01-22-01-23



الصيدلية الحديثة
modern pharmacy


COMBINED SIGN NO ISHARA

NOW OPEN

Health First
PHARMACY



صيدلية
هيلت فيرست



3D Signboard



3D Signboard

Health First
Pharmacy



صيدلية
هيلث فيرست



3D Signboard

Health First
Pharmacy




صيدلية
هيلث فيرست

Pharmacy

3D Signboard

**Powering
Your Brand's
Journey:
Advertising
Redefined**



3D Signboard



3D Signboard

C. RESTAURANT

3D Signboard


cello



شالو



3D Signboard



3D Signboard



3D Signboard




3D Signboard



3D Signboard



3D Signboard



3D Signboard

Caribou COFFEE

Al Sayer Retail Establishment Branch of Abu Dhabi Qi

كاريبو كافيه



3D Signboard

MICROPOLIS
ROBOTICS



Car Parking Sign



P مواقف
خاضعة للرسوم
Paid Parking Zone

sms
5566

مواقف خاضعة للرسوم
طيلة أيام الأسبوع والعطلات الرسمية
**PAID PARKING DURING ALL DAYS
OF THE WEEK INCLUDING
PUBLIC HOLIDAYS**



P


مواقف
خاضعة للرسوم
Paid Parking
08:00h - 22:00h

التوقيت خلال شهر رمضان
Ramadan Timing
08:00h - 00:00h


smsParking
5566

مواقف خاضعة للرسوم
طيلة أيام الأسبوع والعطلات الرسمية
Paid Parking
During All Weekdays & Public Holidays

**Precision
Meets Pace:
Your Signage
Partner**



Exhibition - Trade Center



Exhibition - Trade Center



Exhibition - Trade Center





Hoarding - City Centre



Hoarding - City Centre




y S23 Ultra

Hoarding - City Centre



Hoarding - City Centre



Hoarding - City Centre



Hoarding - City Centre



Hoarding - City Centre



Hoarding - City Centre



Galaxy S23 Ultra

Hoarding - City Centre



Hoarding - City Centre



Project Sign



Project Sign




Project Sign



Project Sign



**Health and
Safety: Is Taken
Seriously**



- ACP Cladding

- Stainless Steel

- Silicon

- Stickers

- LED

- Double Tape

- Acrylic

- Transformaer

- Powder Coating

- Aluminium Sheets

- Ducab Wires

- Chrome Plated

ACP Cladding - Aluminium composite panel

Aluminium composite panel technical specification



Resistance to temperature changes Due to its unique characteristics, it can withstand temperature changes from -50 to 80 + without any change in quality.
Moisture insulation The space between the composite sheets and the wall of the building creates thermal and acoustic insulation and creates the possibility of air flow behind the composite panels.

Advantages of composite aluminum sheets – Possibility of quick and easy installation – Variety of colors – Possibility of various types of bending, perforation and cutting – Light and easy transportation – Less weight than other building materials – Easy to wash – Various dimensions – Thermal insulation and Audio – Earthquake Resistant – Fireproof Aluminum Sheets Composite Premium Band with PVDF Coating. PE and polyester.

Application:

Office, commercial, industrial, educational, health buildings, airports, terminals, metro stations, domes and special buildings. Along with new technologies, architects' interests and customer demands, construction materials are constantly being developed.





Remarks	Standard	Item
Available on request – 3mm, 5mm & 6 mm	mm 4	Panel Thickness
Available thickness 0.25mm to 0.55mm	mm 0.5	Aluminium Cover Sheets thickness (Skin)
The thermoplastic core in Premium Bond panel is low density polyethylene (LDPE), belongs to carbon hydrogen plastic and it is non-toxic in nature. The final result after the burning of polyethylene is carbon, CO ₂ , CO & H ₂ O	The thermoplastic core is LDPE	Core
—	mm 1250	Panel Width
Can be adjusted as per requirement	mm 3200	Panel Length
—	kg /mm ² 5.5	Panel Weight
—	Exterior face coil coated with PVDF (KYNAR -500, min 70%) Interior face coil coated with polyester	Surface finish

Stickers

Stickers technical specification

Vinyl Stickers is a calendered monomeric digital black back Matt vinyl for short to medium term outdoor graphics. Applications include advertising, point of sale, windows, advertising boards and other promotional applications. The 100 micron film gives the product ease of handling onto flat surfaces. The bright white finish offers brilliant color reproduction on Solvent, Eco Solvent, UV ink.

Product Information:

- 100 Micron matt PVC film
- Medium Tack adhesive
- 140gsm pure white wooden pulp paper with one side PE & Silicon coating.
- Suitable for various solvent ink, Eco-solvent, Latex, UV ink
- Durability: 1 Year
- Finishes: Matt

Photo luminescent Film Glow in the dark (printable)

Technique: print: This glow inkjet print is digital printing, the color is more brighter than the picture, the luminous film can be used for a long time.

Ingenious design: The glow inkjet print is designed with a hole on the back, which allows you to hang it on the wall or other places.


Versatile occasion: The glow inkjet photoluminescent film can be used for a variety of outdoor activities, such as camping, hiking, fishing, hunting, and other outdoor activities.



Specification:	
Weight	22.92 kg
Dimensions	5000 × 137 m
Product Type	Materials
Brand	ST-Solutions
Media	Vinyl
Finish	Matt
Selling Unit	Roll
Application	Printing Media

Printable Luminous Film

HEAT TRANSFER VINYL



Strong light-storing


30*100cm

- High elastic soft,
- No cracking
- Easy to crave/weed
- Environmental protection

Name	Printable Luminous Transfer Vinyl	Temperature	140°C-160°C
Thickness	0.1mm	Iron Pressure	3.5-5kg
Size	30x100cm	Time	10-15 seconds
Application	Clothing Shoes and Hats , Bags and Suitcases Glass		

Types of Reflective Sheets:

Reflective Sheeting makes traffic signs more visible with a thin flexible retroreflective material that increases both daytime visibility and night-time brightness of signs. Just as all of our traffic signs are fabricated in accordance with MUTCD and DOT standards, or local jurisdiction's specifications, the reflective sheeting we use also adheres to standards. Universal Signs and Accessories is an authorized 3M distributor, and you should know the differences in the three varieties of 3M reflective sheeting we offer:

	3M™ High Intensity Prismatic	3M™ Diamond Grade™ DG ³
Luminance	 Intermediate luminance	 Maximum luminance Returns nearly twice the amount of light as High Intensity Prismatic with 100% efficient full-cube technology
Specification and standards	 Middle grade performance standards Meets ASTM D4956 Type IV	 Highest performance standards Meets ASTM D4956 Type XI
Warranty	 10 year warranty	 12 year warranty
Sign position	 Suitable for advantaged sign positions	 Suitable for advantaged and disadvantaged sign positions
Sight distance	 Performs best at medium and long distance	 Best performance for all distances
Colors	 Standard Standard colors perform best at low and medium light levels	 Standard + fluorescent Fluorescent colors helps make the sign more visible in any light condition
Retroreflective technology	 Truncated cube technology Reflects more light than glass bead technology found in some engineer grade sheeting	 Full cube technology Reflects more light than truncated cube corner and glass bead technology found in lower grade sheeting



Engineer Grade:


for commercial or informational signage – non-critical road signs like parking signs.

High-Intensity Prismatic:

suitable for many traffic sign applications.

Diamond Grade Cubed:

Suitable for ALL traffic sign applications.



Acrylic

Acrylic technical specification

Bright Sign Media provides premium quality cast acrylic sheets, which, as the name suggests, is produced in casts or moulds with acrylic raw materials and chemicals (MMA and catalysts). The mould is made from 2 panes of clear float glass and silicone edging to create an air gap based on the thickness to be produced. Signtrade is a leading supplier for a broad range of standard and custom colors of acrylics that are ideal for different applications.

Applications:

Cast acrylic sheets are widely used in various applications where transparency and strength are essential, such as:

- Manufacturing
- Buildings and construction
- Hospitals and hospitality centers
- Trade show and exhibit spaces
- Point-of-sale displays
- Signage and advertising
- Windows and window glazing

Advantages:

The casting process of making acrylic is more labor-intensive, making it a longer process than extruded acrylic sheets. It offers the best optical clarity, greater thermal stability and higher resistance when exposed to solvents.



ASTARIGLAS®

Technical Data Sheet

Typical Property Values


General Properties	Test Method	Units	ASTARIGLAS®
Relative Density	ISO 1183	g/cm ³	1.19
Water Absorption	ISO 62	%	0.3
Mechanical Properties			
Tensile Strength @23°C	ISO 527	Mpa	70
Elongation at Break @23°C	ISO 527	%	4
Flexural Strength	ISO 178	MPa	114
Flexural Modulus	ISO 178	Mpa	3200
Impact Strength - Charpy-unnotched	ISO 179 / I lu	kJ.m ⁻²	12
Izod Impact Strength notched	ISO 180 / A	kJ.m ⁻²	1.4
Rockwell Hardness	ISO 2039-2	M scale	95
Thermal Properties			
Vicat Softening Point	ISO 306 A	°C	>110
Coefficient of Thermal - Expansion-Linear	ASTM D696	x 10 ⁻⁴ . K ⁻¹	7
Flammability UL94 HB	UL94		HB
Optical Properties			
Light Transmission	ASTM D1003	% (3 mm)	>92
Refractive Index	ISO 489 A		1.49
Electrical Properties			
Surface Resistivity	IEC 93	Ω	> 10 ¹⁴
Electrical Strength	IEC 243	kV/mm	30

Note:
The standards values quoted are not always strictly equivalent and based on tests on representative samples. The information given in this publication is based on our general experience and given in good faith. It is intended as a general guide and must not be considered as a binding specification. No warranty is given or it to be implied. In no way does this information incur the liability of Astari Niegara Internasional, especially in infringement of the rights of a third party.

Aluminium Sheets

Acrylic technical specification

Aluminium Alloy has minimum of 99% purity with Low strength non-heat treatable and excellent corrosion resistance. Aluminium sheets of this alloy are easy to weld, braze and solder. Aluminium also has excellent thermal and electrical conductivity.



01

EASY TO PROCESS CORROSION RESISTANCE

Good processability, stable performance, easy processing, good corrosion resistance and glossiness.

02

QUALITY RAW MATERIALS HIGH QUALITY

Selected raw materials for products, guaranteed quality, and stable performance.



03

Support processing customization

Factory direct supply support custom specifications complete and reliable quality.




04

Competitive price

Source factory, provides you with the factory price, no dealer earns the price difference.





厦门建发铝业有限公司
XIAMEN C AND D ALUMINIUM CO., LTD.

Material Test Certificate

PRODUCT: ALUMINIUM PLAIN SHEETS
MANUFACTURER: XIAMEN C AND D ALUMINIUM CO LTD

RYV NO.: YE20A163MH02-1
DATE: APR. 10, 2020

LOT NO.	SIZE (mm)	Alloy/Temper	MECHANICAL PROPERTIES				Chemical Composition %										
			Net Wt (kg)	Gross Wt (kg)	T.S. (Mpa)	Elongation (%)	Si	Fe	Cu	Mn	Mg	Zn	Ti	Al			
1641-2	1.4*1219*2438	AA1100 H14	2268	2328	142	12	0.0964	0.553	0.1198	0.0049	<0.001	0.0109	0.0198	99.12			
1641-3	1.8*1219*2438	AA1100 H14	2272	2332	142	12	0.0412	0.505	0.0583	0.013	<0.005	<0.005	0.0209	99.31			
1641-3	1.8*1219*2438	AA1100 H14	2170	2230	142	12	0.0412	0.505	0.0583	0.013	<0.005	<0.005	0.0209	99.31			
1643-1	2.8*1219*2438	AA1100 H14	1792	1852	140	12	0.0393	0.500	0.0575	0.0152	<0.05	<0.05	0.0221	99.3			
1164-2	2.0*1219*2438	AA1100 H14	1964	2024	138	13	0.0393	0.500	0.0575	0.0152	<0.05	<0.05	0.0221	99.3			
1643-2	3.0*1219*2438	AA1100 H14	2078	2138	136	13	0.0403	0.503	0.0579	0.0141	<0.005	<0.005	0.0215	99.31			
1693-3	5.8*1219*2438	AA1100 H14	1866	1926	145	14	0.0796	0.501	0.0988	0.0104	<0.05	<0.05	0.0213	99.29			
1677-3	1.4*1500*3000	AA1100 H14	2284	2344	142	12	0.0812	0.503	0.1021	0.0119	<0.005	<0.005	0.0217	99.29			
1678-1	2.8*1500*3000	AA1100 H14	1542	1602	138	13	0.0964	0.553	0.1198	0.0049	<0.001	<0.001	0.0109	99.12			
1	7.8*1219*2438	AA1100 H14	2072	2132	-	-	0.0800	0.213	0.0010	0.000f	0.001	0.0019	0.0280	Remainder			

SIAMEN C&D ALUMINIUM CO., LTD.
厦门建发铝业有限公司

2020年4月10日



Stainless Steel

304 Stainless Steel technical specification

304 Stainless Steel plates are a piece of versatile equipment used in various industries. The main reason for their high demand is their resistance to corrosion, longevity, and formability properties. These stainless steel sheets are useful in construction, transportation, chemical, textile, and many other industries. It is essential that one must get their hands on the finest Stainless Steel plates for their requirement.

outokumpu

INSPECTION CERTIFICATE 3.1
DIN EN 10204 3.1

Certificate No. 520921/003
Page 1 (01)

SARITAS ÇELİK SANAYİ VE TİCARET A.Ş.
GEZEZE ORGANİZE SANAYİ BÖLGESİ 1900.
SOKAK NO: 1901
41400 GEZEZE, KOCAELI
TURKEY

SARITAS ÇELİK SANAYİ VE TİCARET AŞ
BARBAROS MAH. BEĞONYA SOK. NO:3
NIDAKULE KAT:25, ATASEHIR
34746 İSTANBUL (ANATOLIA)
TURKEY

EM 10088-4:2009
AD 2005 M2, W10 & EN 10028-7:2016
ASTM A240/A240M
ASME SA-240/SA-240M II A ED. 2017

EM 10088-4:2009
AD 2005 M2, W10 & EN 10028-7:2016
ASTM A240/A240M
ASME SA-240/SA-240M II A ED. 2017

COIL, STAINLESS STEEL

1.4401 1.4404 TYPE 316L

1.4401 1D

Line No. / R. No.	Item / Description	Quantity	Weight	Unit
1	11 96434 8	3,0 X 1000 MM	17720 KG	1D/1
2	11 96434 8	3,0 X 1000 MM	17740 KG	1D/1
3	12 96290 5	3,0 X 1250 MM	22330 KG	1D/1
4	12 96290 4	3,0 X 1250 MM	22380 KG	1D/1

Element	C	Mn	P	S	Cr	Ni	Mo	N
96434	0,027	0,52	0,035	<0,001	17,1	10,1	2,02	0,044
96290	0,017	0,49	0,036	<0,001	17,0	10,1	2,03	0,035

Line No. / R. No.	Element	High	Min	A5	A50
1	01	278	322	604	59
2	02	278	328	601	61
3	01	276	322	604	62
4	02	287	339	634	60
	01	262	306	585	62
	02	264	306	592	60

ISO 4892-1:2005 A224
SAMPLES PERPENDICULAR TO
THE ROLLING DIRECTION
APPROVED ACC. TO
AD2005-M2 WITH
VERIFICATION OF THE
UNIFORMITY OVER THE
STRIP LENGTH. CERTIFIED
ACC. TO PED 2014/C8/ED BY
TUV NORD REG. NO. 0045.
DOFP ACC. TO CPR
AVAILABLE ON THE WEB
PAGE BY STEEL NUMBER

EN ISO 1651-2 A: OK
ASTM A240/A240M
ASME SA-240/SA-240M II A ED. 2017
NACE MR0175/ISO 15156-1 / NACE MR0175/ISO 15156-3
HEAT TREATMENT 1070 C
INTERGRANULAR CORROSION ASTM A262 PRACTICE E: OK

Outokumpu Stainless Oy
Pirkko Janne
PIRKKO JANNE

LED Module / Strip

BSM offers a variety of constant current LED modules to accommodate various types of strip, troffer, downlight, and custom fixture applications. We manufacture LED modules based on light output categories, as well as modules focused on maximum energy efficiency. Signtrade provides even, consistent, lighting with our rectangular, square, and circular LED module configurations. By using a PCB metal core, our LED modules use a low operating temperature to produce a bright light output as well as a longer life.



Transformer

Power Supply LPV is UL approved and Class II rated for the Sign industry. These Mean Well power supplies will provide you and your customer with one of the most reliable and affordable drivers on the market today.




Non Waterproof



Rainproof



Waterproof



Ducab Wires

Ducab is a trusted name & as one of the top cable manufacturing companies, providing high-quality cables that have won numerous awards and certifications.



CURRENT RATINGS (AC)

STRANDED COPPER & ALUMINIUM CONDUCTORS - SINGLE CORE CABLES

600/1000 V ARMoured PVC SHEATHED CABLES Table 16

Nominal area of conductor mm ²	Stranded Copper Conductors						Stranded Aluminium Conductors					
	Current Ratings			Approximate voltage drop per ampere per metre			Current Ratings			Approximate voltage drop per ampere per metre		
	Direct in ground amps	In single way ducts amps	In air amps	Ground mV	Duct mV	Air mV	Direct in ground amps	In single way ducts amps	In air amps	Ground mV	Duct mV	Air mV
50	235	235	222	0.87	0.93	0.87	175	180	162	1.40	1.60	1.40
70	290	280	285	0.62	0.70	0.62	220	220	207	0.98	1.00	0.98
95	345	330	346	0.47	0.56	0.47	260	260	252	0.72	0.79	0.74
120	390	370	402	0.39	0.48	0.39	295	295	292	0.58	0.66	0.60
150	435	405	463	0.33	0.43	0.33	330	330	337	0.48	0.57	0.49
185	490	440	529	0.28	0.39	0.28	375	365	391	0.39	0.49	0.41
240	560	500	625	0.24	0.35	0.24	435	410	465	0.31	0.42	0.34
300	630	550	720	0.21	0.32	0.21	490	455	540	0.27	0.38	0.29
400	700	580	815	0.195	0.30	0.195	540	480	625	0.35	0.38	0.25
500	770	620	918	0.180	0.28	0.180	580	510	714	0.31	0.35	0.22
630	840	670	1027	0.170	0.26	0.170	630	540	801	0.28	0.32	0.20
800	888	692	1119	0.165	0.25	0.165	-	-	-	-	-	-
1000	942	735	1214	0.155	0.24	0.155	-	-	-	-	-	-

600/1000 V UNARMoured PVC SHEATHED CABLES Table 17

Nominal area of conductor mm ²	Stranded Copper Conductors						Aluminium Conductors					
	Current Ratings			Approximate voltage drop per ampere per metre			Current Ratings			Approximate voltage drop per ampere per metre		
	Direct in ground amps	In single way ducts amps	In air amps	Ground mV	Duct mV	Air mV	Direct in ground amps	In single way ducts amps	In air amps	Ground mV	Duct mV	Air mV
50	230	240	209	0.85	0.93	0.87	175	180	159	1.40	1.50	1.45
70	285	295	268	0.61	0.70	0.61	215	220	206	0.98	1.10	0.98
95	335	345	326	0.45	0.56	0.45	255	260	253	0.71	0.79	0.73
120	385	395	379	0.36	0.48	0.37	295	300	296	0.57	0.66	0.59
150	435	445	436	0.31	0.43	0.31	325	335	343	0.47	0.57	0.47
185	490	500	500	0.26	0.39	0.26	370	375	395	0.39	0.49	0.39
240	570	580	590	0.22	0.35	0.22	430	440	471	0.31	0.42	0.32
300	650	650	681	0.19	0.32	0.195	490	510	544	0.26	0.38	0.27
400	740	750	793	0.17	0.30	0.175	550	570	638	0.36	0.38	0.23
500	840	850	904	0.16	0.28	0.160	620	640	743	0.33	0.35	0.20
630	960	960	1033	0.15	0.26	0.150	690	730	849	0.28	0.32	0.185
800	1120	1130	1179	0.15	0.25	0.145	-	-	-	-	-	-
1000	1300	1320	1323	0.14	0.24	0.140	-	-	-	-	-	-

Direct in ground - Trefoil touching
 Single way ducts - ducts touching
 Spacing in air - As shown above (D = Cable diameter)
 Non magnetic wire armour bonded at both ends

Installation conditions for above ratings:
 Ambient air temperature: 30°C
 Ground temperature: 15°C
 Depth of laying 0.5 m. Soil thermal resistivity: 1.2°C/mW
 Maximum conductor operating temperature at rated current is 90°C. For rating factors see Tables 2 to 6 and 8 to 12

BICC

Silicon



Henkel Pattex pl 250

(construction adhesive) is a professional polymer based construction adhesive & general purpose silicone

- Strong & flexible – This mounting glue formula is based on FlexTec Polymer, Henkel’s technology for permanently flexible and powerful bonding.
- High Tack – A repositionable adhesive with high initial tack, Pattex PL250 Premium Fix has 350kg/m²* adhesion for heavy duty projects that require precision placement.
- Weather resistant – Our outdoor construction adhesive has high UV and temperature resistance (-30°C to +80°C) and is also water-resistant to withstand all conditions.
- Reliable – The strong adhesive bonds to all building materials** or surfaces and can also be used as a gap filler, with high elasticity and no shrinkage over time.
- Package contents – Pattex PL250 Premium Fix, powerful and reliable indoor and outdoor construction glue, fills gaps, with Flextec Polymer technology, white, 1x440g Cartridge

QUALITY FROM

Technical Data Sheet

Pattex Contact Adhesive Compact

I. Product:

<p>Nature of product: Solvent based, thixotropic contact adhesive</p>	<p>Field of application:</p> <ul style="list-style-type: none"> • Combination bonding of wooden materials with decorative laminates such as Resopal[®], Formica[®] e.g. rubber, leather, cork, felt, rigid PVC, soft foams, metal and many other materials. Not suitable for expanded polystyrene, polyethylene, polypropylene and synthetic leather (plasticized PVC). • Bonding veneer strips to edges and curves 	<p>Package size: Tubes of 60 g and 126 g and tins of 300 g and 625 g</p> <p>Shipping unit: PT 40 = 4 x 10 tubes of 50 g PT 30 = 3 x 10 tubes of 126 g PT 12K = 12 tins of 300 g PT 10 = 10 tins of 625 g</p>
--	--	--

II. Characteristics:

<ul style="list-style-type: none"> • No dripping • No stringing 	<p>Composition : Polychlorbutadiene</p> <p>Final bonding strength : Final bonding strength is reached after 3 days, depending on the materials and the pressure applied.</p> <p>Density : 0.85 g/cm³</p> <p>Consumption : 250 - 350 g/m² for two-sided application of adhesive</p> <p>Temperature resistance : Up to 70° C</p>	<p>Resistance : The bonding are extremely resistant to water, diluted acids and alkaline solutions.</p> <p>Working temperature : Pattex Compact should preferably be used at room temperature of +18 to +25°C.</p> <p>Dry warmth accelerates evaporation of the solvents, cold slows it down.</p> <p>Important : Do not stir Do not dilute with thinner</p>
---	---	--

ACC International Business
1/2

Double Side Tape

Double-sided pressure-sensitive adhesive tape with foam carrier and modified acrylic adhesive

Application fields:

- Bonding of displays and product samples
- Self-adhesive finishing of extruded plastic profiles

Thickness (mm): 1.00

Max. width (mm): 1260

Liner: PE paper white

Adhesive open side: Modified acrylic

Carrier: PE foam white

Adhesive closed side: Modified acrylic

Product properties:

- Good initial and final adhesion
- Good ageing resistance and extensive resistance to the influence of chemicals (domestic cleaning and polishing agents)
- The combination of modified acrylic adhesive and compressible polyethylene foam guarantees a very good bonding even on rough and uneven surfaces

DuploCOLL® 5011
Art. No. 11 00 80

Lohmann
The Bonding Engineers

Double-sided adhesive mounting tape with modified acrylic adhesive and foam carrier

Product construction			
Liner	Name	Colour	Thickness [mm]
Adhesive covered side	PE paper	white	approx. 0,16
Carrier	Modified acrylic		
Adhesive open side	Polyethylene foam	white	approx. 1,00
	Modified acrylic		
			Total thickness: approx. 1,16


Product advantages

- Good initial and final adhesion
- Good ageing resistance
- Extensive resistance to the influence of chemicals (domestic cleaning materials and polishing agents)
- The combination of modified acrylic adhesive and compressible polyethylene foam guarantees a very good bonding even on rough and uneven surfaces.

Main application fields

- Bonding of displays and product samples
- Making extruded plastic profiles self-adhesive

Product features	Applicability on
Initial adhesion	●●● Foam
Final adhesion	●●● Rubber
Dimensional stability	●●● Fabric
Adhesion on even surfaces	●●● Glass/Ceramics
Adhesion on rough surfaces	●●● Wood
Ageing resistance	●●● High energy plastics: PVC, PC, ABS, ...
Weathering resistance	●●● Low energy plastics: PE, PP, ...
Chemical resistance	●●● Metal
Resistance to plasticizers	●●● Paper/Cardboard
●●● very suitable	●●● suitable
●●● suitable with restrictions	○●○ not suitable



Powder Coating

It enhances impact resistance and durability. It is electrically conductive. It allows for many glossy colors, including custom color options. Depending on the additives used, it can be quite resistant to UV damage and color fading.

Chrome plating

Chrome plating is the process of applying chromium to another metal object. Chromium is the chemical element (Cr) and atomic number 24, and is an additive in steel. Chrome plating, or chromium plating, helps minimize wear and tear

Chrome Plated Stainless Steel Rod Specifications

www.pipingmaterial.ae

Uses

- Hydraulic cylinders
- Industrial machinery
- Automotive applications
- Printing machinery
- Aerospace applications
- Decorative and Architectural applications

Size range

Diameter : 8 mm - 200 mm
Length : 0.5 m - 6.5 m
Thickness : min. 20 micron



Radiographic Testing

Delivery condition

- Cold drawn
- Annealed, turned & polished
- Rough turned
- Smooth turned
- Centreless ground finish

AISI Standard

- AISI 304
- AISI 316
- AISI 416
- AISI 431



Technical Data Jotapipe JT 8201

Product Description
Jotapipe JT 8201 (formerly Corro-Coat EP-F 8201) is the middle layer of the J-Trac fusion-bonded epoxy coating system.

J-Trac is a combination of three FBE coating layers, which function together to provide a tough, resilient, anti-corrosion system that can be applied to large and small diameter pipes.

Application Conditions
J-Trac is typically applied at a temperature of 232°C to 250°C (450°F to 482°F).

J-Trac system	Description	Typical film thickness
Jotapipe JT 8101	First layer	200-300 µm (8-12 mil)
Jotapipe JT 8201	Middle layer	200-300 µm (8-12 mil)
Jotapipe JT 8301	Outer layer	200-300 µm (8-12 mil)

Operating Conditions
J-Trac is suitable for pipelines operating at continuous temperatures up to 100°C (212°F). However, system performance including maximum operating temperature can depend on plant application, pipe configuration and local field conditions.

Storage Conditions
A shelf life of at least 12 months is obtained when stored at maximum 25°C (77°F).

Typical Powder Properties

Description	Norm	Result
Gel time	CSA-Z245.20-10 (12.2)	Not measurable*
Moisture content	CSA-Z245.20-10 (12.4B)	Below 0.50% (at time of manufacture)
Density	CSA-Z245.20-10 (12.6)	1100 g/l
Particle size	CSA-Z245.20-10 (12.5)	99.8% below 250 µm (60 mesh)
Thermal characteristics	CSA-Z245.20-10 (12.7) onset point	Tg1 = 50-66°C (122-151°F) Tg2 = Not measurable* ΔH = Not measurable*

* Not measurable due to the characteristics of the modified polymer chemistry.
Please refer to Technical Information Sheet for J-Trac for typical system properties.

Jotapipe JT 8201 Page 1 of 2